

* 产品型号	R220K V2
* CPU类型	Kunpeng 920 2-Socket Embedded
* CPU型号	Kunpeng 920
* 部件类型	All
OS类型	无配置
OS版本	无配置

DIMMs						
编码	容量	描述	打包编码	生命周期	类型	备注
06200289	128GB	Memory Module,DDR4 RDIMM,128GB,288pin,0.68ns,2933000KHz,1.2V,ECC,4 Rank(4G*4bit),3DS		GA	DDR	
02510061	16GB	General Memory Module,Servers,B C82M16G13,Memory Module,Reinforced Memory,DDR4 RDIMM,16GB,288pin,0.68ns,2933000KHz,1.2V,ECC,1Rank(2G*4bit)-(06200304)		Develop	DDR	
02510063	16GB	General Memory Module,Servers,B C82M16G14,Memory Module,Reinforced Memory,DDR4 RDIMM,16GB,288pin,0.625ns,320000KHz,1.2V,ECC,2 Rank(1G*8bit)-(06200320)		Develop	DDR	
06200265	16GB	Memory Module,DDR4 RDIMM,16GB,288pin,0.75ns,2666000KHz,1.2V,ECC,2Rank(1G*8bit)		EOM	DDR	
06200286	16GB	Memory Module,DDR4 RDIMM,16GB,288pin,0.68ns,2933000KHz,1.2V,ECC,2Rank(1G*8bit),Server product dedicated		GA	DDR	
06200320	16GB	Memory Module,DDR4 RDIMM,16GB,288pin,0.625ns,320000KHz,1.2V,ECC,2 Rank(1G*8bit),SDP		GA	DDR	
06200339	16GB	Memory Module,DDR4 RDIMM,16GB,288pin,0.68ns,2933000KHz,1.2V,ECC,2Rank(1G*8bit),06200286		EOP	DDR	Note30;
06200442-001	16GB	Memory Module,DDR4 RDIMM,16GB,288pin,0.68ns,2933000KHz,1.2V,ECC,2Rank(1G*8bit),GCH Memory Module-AL(S1y)		GA	DDR	Note35;

06200443-002	16GB	Memory Module,DDR4 RDIMM,16GB,288 pin,0.625ns,320000KHz,1.2V,ECC,1 Rank(2G*8bit),GC H Memory Module-AJ		GA	DDR	Note35;
02510059	32GB	General Memory Module,Servers,B C82M32G17,Memory Module,,Reinforced Memory,DDR4 RDIMM,32GB,288 pin,0.68ns,2933000KHz,1.2V,ECC,2Rank(2G*4bit)-(06200288)		Develop	DDR	
02510060	32GB	General Memory Module,Servers,B C82M32G18,Memory Module,Reinforced Memory,DDR4 RDIMM,32GB,288 pin,0.68ns,2933000KHz,1.2V,ECC,2Rank(2G*4bit)-(06200303)		Develop	DDR	
02510062	32GB	General Memory Module,Servers,B C82M32G19,Memory Module,Reinforced Memory,DDR4 RDIMM,32GB,288 pin,0.625ns,320000KHz,1.2,ECC,2Rank(2G*4bit)-(06200309)		Develop	DDR	
06200241	32GB	Memory Module,DDR4 RDIMM,32GB,288 pin,0.75ns,2666000KHz,1.2V,ECC,2Rank(2G*4bit)		EOM	DDR	
06200266	32GB	Memory Module,DDR4 RDIMM,32GB,288 pin,7.5ns,2666000KHz,1.2V,ECC,2Rank(2G*4bit)		EOM	DDR	
06200309	32GB	Memory Module,DDR4 RDIMM,32GB,288 pin,0.625ns,320000KHz,1.2,ECC,2Rank(2G*4bit)		GA	DDR	
06200316	32GB	Memory Module,DDR4 RDIMM,32GB,288 pin,0.68ns,2933000KHz,1.2V,ECC,1Rank(4G*4bit)		EOS	DDR	
06200317	32GB	Memory Module,DDR4 RDIMM,32GB,288 pin,0.68ns,2933000KHz,1.2V,ECC,2Rank(2G*8bit)		GA	DDR	
06200321	32GB	Memory Module,DDR4 RDIMM,32GB,288 pin,0.625ns,320000KHz,1.2V,ECC,2Rank(2G*8bit),SD P		GA	DDR	
06200330	32GB	Memory Module,DDR4 RDIMM,32GB,288 pin,0.68ns,2933000KHz,1.2V,ECC,2Rank(2G*8bit)		GA	DDR	

06200340	32GB	Memory Module,DDR4 RDIMM,32GB,288 pin,0.68ns,2933000KHz,1.2V,ECC,2Rank(2G*4bit),06200288		EOP	DDR	Note30;
06200444-002	32GB	Memory Module,DDR4 RDIMM,32GB,288 pin,0.625ns,320000KHz,1.2V,ECC,2Rank(2G*8bit),GC H Memory Module-AJ		GA	DDR	Note35;
06200444-003	32GB	Memory Module,DDR4 RDIMM,32GB,288 pin,0.625ns,320000KHz,1.2V,ECC,2Rank(2G*8bit),GC H Memory Module-ZG(BP)		GA	DDR	Note35;
06200456-001	32GB	Memory Module,DDR4 RDIMM,32GB,288 pin,0.625ns,320000KHz,1.2V,ECC,1Rank(4G*4bit),GCH Memory module-Server Level-AK-A3		GA	DDR	Note35;Note36;
06200282	64GB	Memory Module,DDR4 RDIMM,64GB,288 pin,0.68ns,2933000KHz,1.2V,ECC,2Rank(4G*4bit),SDP		GA	DDR	
06200323	64GB	Memory Module,DDR4 RDIMM,64GB,288 pin,0.625ns,320000KHz,1.2V,ECC,2Rank(4G*4bit),SDP		GA	DDR	
06200329	64GB	Memory Module,DDR4 RDIMM,64GB,288 pin,0.68ns,2933000KHz,1.2V,ECC,2Rank(4G*4bit),SDP		GA	DDR	
06200445-002	64GB	Memory Module,DDR4 RDIMM,64GB,288 pin,0.625ns,320000KHz,1.2V,ECC,2Rank(4G*4bit),GC H Memory Module-ZG(BP)		GA	DDR	Note35;
备注说明: 30. 海外专用 35. 仅支持中国区发货, 不支持海外发货。 36. 满配场景下, 带宽低于2Rank约5%						

DISKs				
编码	容量	描述	生命周期	备注
02312GUA	240GB	Function Module,Servers,SSD,240GB,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	EOM	Note2;
02312GTV	240GB	Function Module,Servers,SSD,240GB,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	EOM	Note2;
02313DHR	240GB	Function Module,Servers,SSD,240GB,SATA 6Gb/s,Read Intensive,ER2-CD Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;

02313DHS	240GB	Function Module,Servers,SSD,240G B,SATA 6Gb/s,Read Intensive,ER2-CD Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;
02312GNP	240GB	Function Module,Servers,SSD,240G B,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	EOM	Note1;
02312GNQ	240GB	Function Module,Servers,SSD,240G B,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	EOM	Note1;
02313EYY	240GB	Function Module,Servers,SSD,240G B,SATA 6Gb/s,Read Intensive,micron 5300 PRO Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;
02313FAB	240GB	Function Module,Servers,SSD,240G B,SATA 6Gb/s,Read Intensive,micron 5300 PRO Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;
02312GUC	480GB	Function Module,Servers,SSD,480G B,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	EOM	Note2;
02312GTW	480GB	Function Module,Servers,SSD,480G B,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	EOM	Note2;
02313EYV	480GB	Function Module,Servers,SSD,480G B,SATA 6Gb/s,Read Intensive,5300 PRO Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	EOM	Note1;
02312XAK	480GB	Function Module,Servers,SSD,480G B,SATA 6Gb/s,Read Intensive,ER2-CD Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;
02312XAL	480GB	Function Module,Servers,SSD,480G B,SATA 6Gb/s,Read Intensive,ER2-CD Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;
02312GNR	480GB	Function Module,Servers,SSD,480G B,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	EOM	Note1;
02312GNS	480GB	Function Module,Servers,SSD,480G B,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	EOM	Note1;

02313EYX	480GB	Function Module,Servers,SSD,480GB,SATA 6Gb/s,Read Intensive,micron 5300 PRO Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	EOM	Note1;
02550256	480GB	SSD Module,Servers,ES3521A V6,HW SSD,Disk Unit,480GB SATA 6Gb/s,Read intensive,2.5inch(2.5inch Drive Bay),Optional	GA	Note1;Note50;
02550443	480GB	SSD Module,Servers,ES3521A V6,HW SSD,Disk Unit,480GB SATA 6Gb/s,Read intensive,2.5inch(2.5inch Drive Bay),Optional,For Public Cloud Only	Pilot	Note1;Note50;
02550265	480GB	SSD Module,Servers,ES3521A V6,HW SSD,Disk Unit,480GB SATA 6Gb/s,Read intensive,2.5inch(3.5inch Drive Bay),Optional	GA	Note1;Note50;
02550442	480GB	SSD Module,Servers,ES3521A V6,HW SSD,Disk Unit,480GB SATA 6Gb/s,Read intensive,2.5inch(3.5inch Drive Bay),Optional,For Public Cloud Only	Pilot	Note1;Note50;
02550173	480GB	SSD Module,Servers,SSD,480GB,SATA 6Gb/s,Mixed Use,5300 MAX Series,2.5inch(2.5inch Drive Bay)	Pilot	Note2;
02550199	480GB	SSD Module,Servers,SSD,480GB,SATA 6Gb/s,Mixed Use,5300 MAX Series,2.5inch(3.5inch Drive Bay)	Pilot	Note2;
02312RBY	600GB	Function Module,Server Product,Hard Disk,600GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot plug,Built-in,3.5 inch Front Panel	GA	
02313AWN	600GB	Function Module,Server Product,Hard Disk,600GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot plug,Built-in,3.5 inch Front Panel,DYHC10	GA	Note19;
02312RBW	600GB	Function Module,Server,Hard Disk,600GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot plug,Built-in,2.5 inch Front Panel	GA	
02313AWM	600GB	Function Module,Server,Hard Disk,600GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot plug,Built-in,2.5 inch Front Panel,DYHC10	GA	Note19;
02312QVR	800GB	Function Module,Servers,ES3610S V5,HW SSD,Disk Unit,800GB SAS 12Gb/s,Mixed Use,2.5inch(2.5inch Drive Bay)	EOM	Note2;Note24;

02312YQC	800GB	Function Module,Servers,ES3610S V5,HW SSD,Disk Unit,800GB SAS 12Gb/s,Mixed Use,2.5inch(2.5inch Drive Bay)	EOM	Note2;Note24;
02312QVS	800GB	Function Module,Servers,ES3610S V5,HW SSD,Disk Unit,800GB SAS 12Gb/s,Mixed Use,2.5inch(3.5inch Drive Bay)	EOP	Note2;Note24;
02312YQD	800GB	Function Module,Servers,ES3610S V5,HW SSD,Disk Unit,800GB SAS 12Gb/s,Mixed Use,2.5inch(3.5inch Drive Bay)	EOM	Note2;Note24;
02312QRQ	960GB	Function Module,Servers,ES3510S V5,HW SSD,Disk Unit,960GB SAS 12Gb/s,Read Intensive,2.5inch(2.5inch Drive Bay)	EOM	Note1;Note24;
02312YQA	960GB	Function Module,Servers,ES3510S V5,HW SSD,Disk Unit,960GB SAS 12Gb/s,Read Intensive,2.5inch(2.5inch Drive Bay)	EOM	Note1;Note24;
02312QRR	960GB	Function Module,Servers,ES3510S V5,HW SSD,Disk Unit,960GB SAS 12Gb/s,Read Intensive,2.5inch(3.5inch Drive Bay)	EOM	Note1;Note24;
02312YQB	960GB	Function Module,Servers,ES3510S V5,HW SSD,Disk Unit,960GB SAS 12Gb/s,Read Intensive,2.5inch(3.5inch Drive Bay)	EOP	Note1;Note24;
02312GUE	960GB	Function Module,Servers,SSD,960G B,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	EOM	Note2;
02312GTX	960GB	Function Module,Servers,SSD,960G B,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	EOM	Note2;
02312XAM	960GB	Function Module,Servers,SSD,960G B,SATA 6Gb/s,Read Intensive,ER2-CD Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;
02312XAN	960GB	Function Module,Servers,SSD,960G B,SATA 6Gb/s,Read Intensive,ER2-CD Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;
02312GNT	960GB	Function Module,Servers,SSD,960G B,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	EOM	Note1;

02312GNU	960GB	Function Module,Servers,SSD,960GB, SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	EOM	Note1;
02313FAC	960GB	Function Module,Servers,SSD,960GB, SATA 6Gb/s,Read Intensive,micron 5300 PRO Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	GA	Note1;
02313FAD	960GB	Function Module,Servers,SSD,960GB, SATA 6Gb/s,Read Intensive,micron 5300 PRO Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	GA	Note1;
02550277	960GB	SSD Module,Servers,ES3500 V6,HW SSD,Disk Unit,960GB SAS 12Gb/s,Read intensive,2.5inch(2.5inch Drive Bay)	Pilot	Note1;
02550282	960GB	SSD Module,Servers,ES3500 V6,HW SSD,Disk Unit,960GB SAS 12Gb/s,Read intensive,2.5inch(3.5inch Drive Bay)	Pilot	Note1;
02550259	960GB	SSD Module,Servers,ES3521A V6,HW SSD,Disk Unit,960GB SATA 6Gb/s,Read intensive,2.5inch(2.5inch Drive Bay),Optional	GA	Note1;Note50;
02550266	960GB	SSD Module,Servers,ES3521A V6,HW SSD,Disk Unit,960GB SATA 6Gb/s,Read intensive,2.5inch(3.5inch Drive Bay),Optional	GA	Note1;Note50;
02550206	960GB	SSD Module,Servers,SSD,960GB, SATA 6Gb/s,Mixed Use,5300 MAX Series,2.5inch(2.5inch Drive Bay)	Pilot	Note2;
02550207	960GB	SSD Module,Servers,SSD,960GB, SATA 6Gb/s,Mixed Use,5300 MAX Series,2.5inch(3.5inch Drive Bay)	Pilot	Note2;
02312RCC	1200GB	Function Module,Server Product,Hard Disk,1200GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot_plug,Built- in,Application for Server Only,3.5 inch Front Panel	GA	
02313AWJ	1200GB	Function Module,Server Product,Hard Disk,1200GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot_plug,Built- in,Application for Server Only,3.5 inch Front Panel,DYHC10	GA	Note19;
02312RBV	1200GB	Function Module,Server,Hard Disk,1200GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot_plug,Built- in,2.5 inch Front Panel	GA	

02313AWH	1200GB	Function Module,Server,Hard Disk,1200GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB or above,Hot_plug,Built- in,2.5 inch Front Panel,DYHC10	GA	Note19;
02312TBF	1600GB	Function Module,Servers,ES3610S1 600GW2,ES3610S V5,HW SSD,Disk Unit,1600GB SAS 12Gb/s,Mixed Use,2.5inch(2.5inch Drive Bay)	EOP	Note2;Note24;
02312TBG	1600GB	Function Module,Servers,ES3610S1 600GW3,ES3610S V5,HW SSD,Disk Unit,1600GB SAS 12Gb/s,Mixed Use,2.5inch(3.5inch Drive Bay)	EOP	Note2;Note24;
02312RCA	1800GB	Function Module,Server,HDD,1800 GB,SAS 12Gb/s,10K rpm,128MB,2.5inch(3.5inc h Drive Bay)	GA	
02313AWG	1800GB	Function Module,Server,HDD,1800 GB,SAS 12Gb/s,10K rpm,128MB,2.5inch(3.5inc h Drive Bay),DYHC10	GA	Note19;
02312RBS	1800GB	Function Module,Servers,Hard Disk,1800GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB,Hot-swap,Built- in,2.5inch Front Panel	GA	
02313AWF	1800GB	Function Module,Servers,Hard Disk,1800GB,SAS 12Gb/s,10000rpm,2.5inch, 128MB,Hot-swap,Built- in,2.5inch Front Panel,DYHC10	GA	Note19;
02312UQB	1920GB	Function Module,Servers,ES3510S1 T9W2,ES3510S V5,HW SSD,Disk Unit,1920GB SAS 12Gb/s,Read Intensive,2.5inch(2.5inch Drive Bay)	EOM	Note1;Note24;
02312UQC	1920GB	Function Module,Servers,ES3510S1 T9W3,ES3510S V5,HW SSD,Disk Unit,1920GB SAS 12Gb/s,Read Intensive,2.5inch(3.5inch Drive Bay)	EOP	Note1;Note24;
02312GUF	1920GB	Function Module,Servers,SSD,1920 GB,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	EOM	Note2;
02312GTY	1920GB	Function Module,Servers,SSD,1920 GB,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	EOM	Note2;
02313FAF	1920GB	Function Module,Servers,SSD,1920 GB,SATA 6Gb/s,Read Intensive, 5300 PRO Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	GA	Note1;
02313DHT	1920GB	Function Module,Servers,SSD,1920 GB,SATA 6Gb/s,Read Intensive,ER2-CD Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;

02313DHU	1920GB	Function Module,Servers,SSD,1920 GB,SATA 6Gb/s,Read Intensive,ER2-CD Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	Pilot	Note1;
02312GNW	1920GB	Function Module,Servers,SSD,1920 GB,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	EOM	Note1;
02312GNX	1920GB	Function Module,Servers,SSD,1920 GB,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	EOM	Note1;
02313FAE	1920GB	Function Module,Servers,SSD,1920 GB,SATA 6Gb/s,Read Intensive,micron 5300 PRO Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	GA	Note1;
02550278	1920GB	SSD Module,Servers,ES3500 V6,HW SSD,Disk Unit,1920GB SAS 12Gb/s,Read intensive,2.5inch(2.5inch Drive Bay)	Pilot	Note1;
02550283	1920GB	SSD Module,Servers,ES3500 V6,HW SSD,Disk Unit,1920GB SAS 12Gb/s,Read intensive,2.5inch(3.5inch Drive Bay)	Pilot	Note1;
02550260	1920GB	SSD Module,Servers,ES3521A V6,HW SSD,Disk Unit,1920GB SATA 6Gb/s,Read intensive,2.5inch(2.5inch Drive Bay),Optional	GA	Note1;
02550267	1920GB	SSD Module,Servers,ES3521A V6,HW SSD,Disk Unit,1920GB SATA 6Gb/s,Read intensive,2.5inch(3.5inch Drive Bay),Optional	GA	Note1;Note50;
02550210	1920GB	SSD Module,Servers,SSD,1920 GB,SATA 6Gb/s,Mixed Use,5300 MAX Series,2.5inch(2.5inch Drive Bay)	Pilot	Note2;
02550211	1920GB	SSD Module,Servers,SSD,1920 GB,SATA 6Gb/s,Mixed Use,5300 MAX Series,2.5inch(3.5inch Drive Bay)	Pilot	Note2;
02312RCM	2400GB	Function Module,Servers,HDD,240 0GB,SAS 12Gb/s,10K rpm,256MB,2.5inch(2.5inc h Drive Bay)	GA	
02312RNJ	2400GB	Function Module,Servers,HDD,240 0GB,SAS 12Gb/s,10K rpm,256MB,2.5inch(2.5inc h Drive Bay)	GA	
02313BKC	2400GB	Function Module,Servers,HDD,240 0GB,SAS 12Gb/s,10K rpm,256MB,2.5inch(2.5inc h Drive Bay),DYHC10	GA	Note19;
02312RCN	2400GB	Function Module,Servers,HDD,240 0GB,SAS 12Gb/s,10K rpm,256MB,2.5inch(3.5inc h Drive Bay)	GA	

02313BKD	2400GB	Function Module,Servers,HDD,2400GB,SAS 12Gb/s,10K rpm,256MB,2.5inch(3.5inch Drive Bay),DYHC10	GA	Note19;
02312RNM	2400GB	Function Module,Servers,HDD,2400GB,SAS 12Gb/s,10K rpm,256MB,2.5inch(3.5inch Drive Bay)-Dedicated for purchased plug-in RAID controller cards	GA	
02312TBH	3200GB	Function Module,Servers,ES3610S3 200GW2,ES3610S V5,HW SSD,Disk Unit,3200GB SAS 12Gb/s,Mixed Use,2.5inch(2.5inch Drive Bay)	EOP	Note2;Note24;
02312TBJ	3200GB	Function Module,Servers,ES3610S3 200GW3,ES3610S V5,HW SSD,Disk Unit,3200GB SAS 12Gb/s,Mixed Use,2.5inch(3.5inch Drive Bay)	EOM	Note2;Note24;
02550279	3200GB	SSD Module,Servers,ES3600S V6,HW SSD,Disk Unit,3200GB SAS 12Gb/s,Mixed Use,2.5inch(2.5inch Drive Bay)	Pilot	Note2;
02550284	3200GB	SSD Module,Servers,ES3600S V6,HW SSD,Disk Unit,3200GB SAS 12Gb/s,Mixed Use,2.5inch(3.5inch Drive Bay)	Pilot	Note2;
02312REY	3840GB	Function Module,Servers,ES3510S V5,HW SSD,Disk Unit,3840GB SAS 12Gb/s,Read Intensive,2.5inch(2.5inch Drive Bay)	EOP	Note1;Note24;
02312RFA	3840GB	Function Module,Servers,ES3510S V5,HW SSD,Disk Unit,3840GB SAS 12Gb/s,Read Intensive,2.5inch(3.5inch Drive Bay)	EOP	Note1;Note24;
02312KGH	3840GB	Function Module,Servers,SSD,3840GB,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	EOM	Note2;
02312KGL	3840GB	Function Module,Servers,SSD,3840GB,SATA 6Gb/s,Mixed Use,SM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	EOM	Note2;
02312GNY	3840GB	Function Module,Servers,SSD,3840GB,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	EOM	Note1;
02312GPA	3840GB	Function Module,Servers,SSD,3840GB,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	EOM	Note1;

02313FAG	3840GB	Function Module,Servers,SSD,3840 GB,SATA 6Gb/s,Read Intensive,micron 5300 PRO Series,2.5inch(2.5inch Drive Bay),IT Server Dedicated	GA	Note1;
02313FAJ	3840GB	Function Module,Servers,SSD,3840 GB,SATA 6Gb/s,Read Intensive,micron 5300 PRO Series,2.5inch(3.5inch Drive Bay),IT Server Dedicated	GA	Note1;
02550280	3840GB	SSD Module,Servers,ES3500S V6,HW SSD,Disk Unit,3840GB SAS 12Gb/s,Read intensive,2.5inch(2.5inch Drive Bay)	Pilot	Note1;
02550285	3840GB	SSD Module,Servers,ES3500S V6,HW SSD,Disk Unit,3840GB SAS 12Gb/s,Read intensive,2.5inch(3.5inch Drive Bay)	Pilot	Note1;
02550215	3840GB	SSD Module,Servers,SSD,3840 GB,SATA 6Gb/s,Mixed Use,5300 MAX Series,2.5inch(2.5inch Drive Bay)	Pilot	Note2;
02550214	3840GB	SSD Module,Servers,SSD,3840 GB,SATA 6Gb/s,Mixed Use,5300 MAX Series,2.5inch(3.5inch Drive Bay)	Pilot	Note2;
02311AYV	4000GB	Function Module,Servers,HDD,400 0GB,SATA 6Gb/s,7.2K rpm,128MB cache or above,3.5inch(3.5inch Drive Bay)	GA	
02313AWP	4000GB	Function Module,Servers,HDD,400 0GB,SATA 6Gb/s,7.2K rpm,128MB cache or above,3.5inch(3.5inch Drive Bay),DYHC10	GA	Note19;
02311DYQ	6000GB	Function Module,Servers,Hard Disk,6000GB,SATA 6.0Gb/s,7200rpm,3.5 inch,128MB cache or above,Hot-swap,Built- in,Front Panel	GA	
02313AWR	6000GB	Function Module,Servers,Hard Disk,6000GB,SATA 6.0Gb/s,7200rpm,3.5 inch,128MB cache or above,Hot-swap,Built- in,Front Panel,DYHC10	GA	Note19;
02312RFC	7680GB	Function Module,Servers,ES3510S V5,HW SSD,Disk Unit,7680GB SAS 12Gb/s,Read Intensive,2.5inch(2.5inch Drive Bay)	EOP	Note1;Note24;
02312RFB	7680GB	Function Module,Servers,ES3510S V5,HW SSD,Disk Unit,7680GB SAS 12Gb/s,Read Intensive,2.5inch(3.5inch Drive Bay)	EOP	Note1;Note24;
02550281	7680GB	SSD Module,Servers,ES3500S V6,HW SSD,Disk Unit,7680GB SAS 12Gb/s,Read intensive,2.5inch(2.5inch Drive Bay)	Pilot	Note1;

02550286	7680GB	SSD Module,Servers,ES3500S V6,HW SSD,Disk Unit,7680GB SAS 12Gb/s,Read intensive,2.5inch(3.5inch Drive Bay)	Pilot	Note1;
02313AWQ	8000GB	Function Module,Servers,Hard Disk,8000GB,SATA 6.0Gb/s,7200rpm,3.5 inch,128 MB,Hot- swap,Built-in,Front Panel,DYHC10	GA	Note19;
02311JRE	8000GB	Function Module,server,Hard Disk,8000GB,SATA 6.0Gb/s,7200rpm,3.5 inch,128 MB,Hot- swap,Built-in,Front Panel	GA	
02311SXE	10000GB	Function Module,Servers,HDD,10T B,SATA 6Gb/s,7.2K rpm,256MB,3.5inch(3.5inc h Drive Bay)	GA	Note25;
02313AWS	10000GB	Function Module,Servers,HDD,10T B,SATA 6Gb/s,7.2K rpm,256MB,3.5inch(3.5inc h Drive Bay),DYHC10	GA	Note19;
02312HPE	14000GB	Function Module,Servers,HDD,14T B,SATA 6Gb/s,7.2K rpm,3.5inch(3.5inch Drive Bay)	GA	
02312PAN	16000GB	Function Module,Servers,Hard Disk,16000GB,SATA 6.0Gb/s,7200rpm,3.5 inch,256MB,Hot- swap,Built-in,Front Panel	GA	

备注说明:
1. RI类型SSD，适合于读密集型业务
2. MU类型SSD，适用于读写混合类型业务
19. 海外专用
24. PMC 3152-8i/2100-8i卡不支持SAS SSD硬盘
25. 不推荐使用Toshiba MG06AC SATA 10T 3516卡配置，4K随机写性能比例偏低。
50. 仅支持中国区发货，不支持海外发货。

NVMe SSD									
编码	编码类型	型号	器件形态	接口类型	描述	厂家名称	驱动下载链接	生命周期	备注
02550293	Official	2.5"- ES3600P V6-6400GB PCIe 16GT/s	2.5inch Disk	SFF-8639	SSD Module,Serv ers,ES3600P V6,6400GB, PCIe 4.0 X4- Vendor ID 19e5-Device ID 3754,2.5inch (2.5inch Drive Bay),NVMe SSD	Huawei	link	Pilot	Note5;
02312PBN	Official	PM1725B- 3200GB	2.5inch Disk	SFF-8639	Function Module,Serv ers,SSD,320 0GB,NVMe PCIe,PM172 5b Series,2.5inc h(2.5inch Drive Bay),IT Server Dedicated	SAMSUNG	无###	EOM	Note5;

02312PJY	Official	ES3610P V5-3200GB	2.5inch Disk	SFF-8639	Function Module,Serv ers,ES3610P V5 SSD,3200GB ,NVMe PCIe,Mixed Use,2.5inch(2.5inch Drive Bay)	Huawei	link	EOM	Note5;
02312TKW	Official	ES3510P V5-2000GB	2.5inch Disk	SFF-8639	Function Module,Serv ers,ES3510P 2000GW2,E S3510P V5 SSD,2000GB ,NVMe PCIe,Read- intensive,2.5 inch(2.5inch Drive Bay),Supply continuity	Huawei	link	EOP	Note4;
02312REW	Official	ES3610P V5-6400GB	2.5inch Disk	SFF-8639	Function Module,Serv ers,ES3610P V5,ES3610P V5 SSD,6400GB ,NVMe PCIe,Mixed Use,2.5inch(2.5inch Drive Bay),Supply continuity	Huawei	link	EOP	Note5;
02312WFJ	Official	ES3500P V6-3840GB	2.5inch Disk	SFF-8639	Function Module,Serv ers,HIU2EBP 007,ES3500 P V6 SSD,3840GB ,NVMe PCIe,Read Intensive,2.5 inch(2.5inch Drive Bay)	Huawei	link	GA	Note4;
02312TKY	Official	ES3610P V5-1600GB	2.5inch Disk	SFF-8639	Function Module,Serv ers,ES3610P 1600GW2,E S3610P V5 SSD,1600GB ,NVMe PCIe,Mixed Use,2.5inch(2.5inch Drive Bay),Supply continuity	Huawei	link	EOM	Note5;
02312QMP	Official	ES3510P V5-7680GB	2.5inch Disk	SFF-8639	Function Module,Serv ers,ES3510P, ES3510P V5 SSD,7680GB ,NVMe PCIe,Read- intensive,2.5 inch(2.5inch Drive Bay),Supply continuity	Huawei	link	EOM	Note4;
02550291	Official	2.5"- ES3600P V6-3200GB PCIe 16GT/s	2.5inch Disk	SFF-8639	SSD Module,Serv ers,ES3600P V6,3200GB, PCIe 4.0 X4- Vendor ID 19e5-Device ID 3754,2.5inch (2.5inch Drive Bay),NVMe SSD	Huawei	link	Pilot	Note5;

02312WFS	Official	ES3600P V6-3200GB	2.5inch Disk	SFF-8639	Function Module,Serv ers,HIU2EBP 013,ES3600 P V6 SSD,3200GB ,NVMe PCIe,Mixed Use,2.5inch(2.5inch Drive Bay)	Huawei	link	GA	Note5;
02312QMN	Official	ES3510P V5-4000GB	2.5inch Disk	SFF-8639	Function Module,Serv ers,ES3510P V5 SSD,4000GB ,NVMe PCIe,Read- intensive,2.5 inch(2.5inch Drive Bay),Supply continuity	Huawei	link	EOM	Note4;
02550097	Official	2.5"- ES3500P V6-7680GB PCIe 16GT/s	2.5inch Disk	SFF-8639	SSD Module,Serv ers,ES3500P, 7680GB,PCI E 4.0 X4- Vendor ID 19e5-Device ID 3754,2.5inch (2.5inch Drive Bay),NVMe SSD	Huawei	link	Pilot	Note4;
02312WFB	Official	ES3500P V6-1920GB	2.5inch Disk	SFF-8639	Function Module,Serv ers,HIU2EBP 005,ES3500 P V6 SSD,1920GB ,NVMe PCIe,Read Intensive,2.5 inch(2.5inch Drive Bay)	Huawei	link	GA	Note4;
02312WFQ	Official	ES3600P V6-1600GB	2.5inch Disk	SFF-8639	Function Module,Serv ers,HIU2EBP 011,ES3600 P V6 SSD,1600GB ,NVMe PCIe,Mixed Use,2.5inch(2.5inch Drive Bay)	Huawei	link	GA	Note5;
备注说明: 4. RI类型SSD, 适合于读密集型业务 5. MU类型SSD, 适用于读写混合类型业务									

Mezzanine Cards											
编码	编码类型	型号	描述	芯片	接口类型	厂家名称	认证链接	驱动下载链接	IO资源	生命周期	备注
03025VY Q	Official	TM210	Manufact ured Board,Tai Shan 2280 V2,BC82N ICB,TaiSh an 2280 V2 4*GE Interface Card,Boar d ID 0X68		RJ45 copper	Huawei		link		GA	

03025VYP	Official	TM280	Manufactured Board,Tai Shan 2280 V2,BC82NIC,25GE/10GE Optical Interface, Four-Port,SFP28(without Optical Transceiver),Board ID 0X67,2*2		SFP28	Huawei	link		GA	
备注说明:										

Other Components
无符合条件的数据

PCIe Cards										
编码	编码类型	卡类型	型号	描述	接口类型	光模块信息	认证链接	驱动下载链接	生命周期	备注
02311UPK	Official	NIC	MCX4121A-ACAT	Function Module,Tai Shan 2280,CN2 M02ITGJ,Ethernet Adapter,25Gb Optical Interface(Mellanox CX4-lx EN),2-Port,SFP28 (without Optical Transceiver),PCIe 3.0 x8	SFP28			link	GA	
06030437	Official	IB	MCX65310 5A-EFAT	IB Card,Infiniband MCX65310 5A-EFAT,HDR100/EDR IB single port-100Gb/s(Socket Direct 2*x8 in a row),PCIe 4.0 x16-15b3-101b-1 2,English doc,original full handle bars with half handle bars	QSFP56			link	GA	

02312QEX	Official	GPU	Atlas 300I (Model 3000)	Function Module,Atlas 300,IT21D MPB07,Atlas 300I Inference Card(Model 3000) PCI-E 4*2x (HHHL) with one Full-height faceplate,DDR 4*8GB, 67W,Single Slot,PassiveCooling, Vendor ID 19E5- Device ID D100	4*PCIE3.0 X2			link	EOM	
02313HWV	Official	GPU	Atlas 300I (Model 3000)	Function Module,Atlas 300,IT21D MPB09,Atlas 300I Inference Card(Model 3000) PCI-E 4*2x (HHHL) with one Full-height faceplate,DDR 4*8GB, 67W,Single Slot,PassiveCooling, Vendor ID 19E5- Device ID D100	4*PCIE3.0 X2			link	EOM	
02312LGA	Official	GPU	Atlas 300I (Model 3010)	Function Module,Atlas 300,IT21D MPA13,Atlas 300 AI Accelerator Card PCI-E x16 (HHHL) with one Full-height faceplate,DDR 4*8GB, 67W,Single Slot,PassiveCooling, Vendor ID 19E5- Device ID D100	PCIE3.0 x16			link	EOM	Note247;
02313JTG	Official	GPU	Atlas 300I (Model 3010)	Function Module,Atlas 300I,IT21D MPC05,Atlas 300I Inference Card PCI-E x8 (HHHL) with one Full-height faceplate,DDR 4*8GB, 67W,Single Slot,PassiveCooling, Vendor ID 19E5- Device ID D100	PCIE3.0 x16			link	EOM	Note247;

02313LXC	Official	GPU	Atlas 300T (Model 9000)	Function Module, Atlas 300T, IT21P DXB110, Ascend 910 B, A300T-9000, PCIe 4.0 x16 (FHFL)-32G HBM-300W-Dual slot-Passive cooling, 2280V2	PCIe 4.0 x16			link	GA	Note3; Note17;
02570029	Official	GPU	Tesla T4	PCIe-GPU Card, Servers, BC8M01 N0T4G16, NVIDIA, Tesla T4 Computational Accelerator, 16GB, PCIe 3.0 x16	PCIe 3.0 x16			link	GA	Note1; Note20; Note25; Note244;
02313UMS	Official	GPU	Atlas 300T Pro (Model 9000)	Function Module, Atlas 300T, IT21P DXB113, Ascend 910 Pro B, A300T Pro-9000, PCIe 4.0 x16 (FHFL)-32G HBM-300W-Dual slot-Passive cooling, 2280 V2	PCIe 4.0 x16			link	GA	Note3; Note17;
02312TAF	Official	SSD	ES3610C V5-1600GB	Function Module, Server, ES3610C1600GFH, ES3610C-1600GB-3 DWPDP-PCIe 3.0 X4-Vendor ID 19e5-Device ID 3714-1, Model number HWES6P431T6M005N, HH/HL Card Full-height packing code, NVMe SSD	PCIe 3.0 X4			link	EOM	Note76;
02312TAD	Official	SSD	ES3610C V5-800GB	Function Module, Server, ES3610C800GFH, ES3610C-800GB-3 DWPDP-PCIe 3.0 X4-Vendor ID 19e5-Device ID 3714-1, Model number HWES6P43800M005N, HH/HL Card Full-height packing code, NVMe SSD	PCIe 3.0 X4				EOP	Note76;

02312TAK	Official	SSD	ES3610C V5-6400GB	Function Module,Se rver,ES361 0C6400GF H,ES3610C -6400GB-3 DWPD- PCIE 3.0 X4-Vendor ID 19e5- Device ID 3714- 1,Model number HWES6P43 6T4M005N ,HH/HL Card Full- height packing code,NVM e SSD	PCIE3.0 X4				EOM	Note76;
02312TAH	Official	SSD	ES3610C V5-3200GB	Function Module,Se rver,ES361 0C3200GF H,ES3610C -3200GB-3 DWPD- PCIE 3.0 X4-Vendor ID 19e5- Device ID 3714- 1,Model number HWES6P43 3T2M005N ,HH/HL Card Full- height packing code,NVM e SSD	PCIE3.0 X4		link		EOM	Note76;
02312SED	Official	FC	SP523(dual -port)	Function Module,SP 523,BC5M 02ETHLB,F C HBA Adapter,8 G(Hi1822), Dual Port,SFP (With Dual Optical Modules), Half- height Half- length(incl uded Half Handle bars and Full Handle bars),PCie 3.0 x8	SFP	自带光模块 (8G 多模)	link	link	GA	Note161;N ote192;Not e222;
02312HJX	Official	FC	SP522(dual -port)	Function Module,SP 522,BC5M 06FCAC,FC HBA Adapter,8 G(Hi1822), Dual Port,SFP (With Dual Optical Modules), Half- height Half- length(incl uded Half Handle bars and Full Handle bars),PCIE 3.0 x8	SFP	自带光模块 (8G 多模)	link	link	GA	Note161;N ote222;

02312HJY	Official	FC	SP522(single-port)	Function Module,SP 522,BC5M 02FCAC,FC HBA Adapter,8 G(Hi1822), Dual Port,SFP (With Single Optical Module),Half-height Half-length,Full Handle bars,PCIe 3.0 x8	SFP	自带光模块 (8G 多模)	link	link	GA	Note161;Note222;
02312SDU	Official	FC	SP523(single-port)	Function Module,SP 523,BC5M 01ETHLB,FC HBA Adapter,8 G(Hi1822), Dual Port,SFP (With Single Optical Module),Half-height Half-length(included Half Handle bars and Full Handle bars),PCIe 3.0 x8	SFP	自带光模块 (8G 多模)	link	link	GA	Note161;Note192;Note222;
02311WTS	Official	NIC	SP333	Function Module,Servers,CN2 M02ITGF,Ethernet Adapter,10 Gb Optical Interface(Mellanox MT27712A 0),2-Port,SFP (with 2x Multi-mode Optical Transceiver),PCIe 3.0 x8,SP333	SFP	自带光模块 (10GE 多模)	link	link	GA	Note181;
02312VRN	Official	NIC	SP582	Function Module,SP 582,BC5M 02ETHL,Ethernet Adapter,25 GE/10GE(Hi1822),2-Port,SFP28 (without Optical Module),Half-height Half-length,Full Handle bars,PCIe 3.0 x8	SFP28	34100303 (10G RJ45电口)		link	GA	

02312SEE	Official	FC	SP525(single-port)	Function Module,SP 525,BC5M 01ETHLC,FC HBA Adapter,16G(Hi1822), Dual Port,SFP (With Single Optical Module),Half-height Half-length(included Half Handle bars and Full Handle bars),PCIe 3.0 x8	SFP	自带光模块 (16G 多模)	link	link	GA	Note161;Note192;Note222;
06030463	Official	FC	LPe31002	Other Cards,HBA Card LPe31002-AP,FC Double Ports-16Gb/s,PCI E 3.0 x8-Vendor ID 10DF-Device ID E300-2,English doc,1pcs short bracket,half width half length,null, NULL,null	SFP	自带光模块 (16G 多模)		link	GA	Note222;Note233;
06030381	Official	FC	QLE2690	Other Cards,HBA Card QLE2690-HUA-SP,FC Single Port-16Gb/s,PCI E 3.0 x8-Vendor ID 1077-Device ID 2261-1,Without Doc,Multimode optical module,half width half length	SFP	自带光模块 (16G 多模)			GA	Note222;
06030382	Official	FC	QLE2692	Other Cards,HBA Card QLE2692-HUA-SP,FC Double Ports-16Gb/s,PCI E 3.0 x8-Vendor ID 1077-Device ID 2261-2,Multimode optical module,Chinese and English doc,half width half length	SFP	自带光模块 (16G 多模)			GA	Note222;

02312SEF	Official	FC	SP525(dual-port)	Function Module,SP 525,BC5M 02ETHLC,F C HBA Adapter,16 G(Hi1822), Dual Port,SFP (With Dual Optical Module),Half-height Half-length(incl uded Half Handle bars and Full Handle bars),PCIe 3.0 x8	SFP	自带光模块 (16G 多模)	link	link	GA	Note161;Note192;Note222;
06030462	Official	FC	LPe31000	Other Cards,HBA Card LPe31000-AP,FC single Ports-16Gb/s,PCI E 3.0 x8- Vendor ID 10DF- Device ID E300-1,English doc,1pcs short bracket,half width half length	SFP	自带光模块 (16G 多模)		link	GA	Note222;Note233;
02312VVV	Official	NIC	SP382	Function Module,Public Module,BC 5M04ETHK SP382 Ethernet Adapter,25 GE(Mellanox CX-5),Dual-Port,SFP28 (without Optical Transceiver),Half-height Half-length,Full Handle bars,PCIe 3.0 x8(with NCSI wire)	SFP28	34061254-001(25G 多模 接分流器 场景不支持 旭创厂家),34060494-005(10G 多模), 04051353(25G DAC线缆 3m);04051354(25G DAC线缆 5m)		link	GA	Note256;
02312NGD	Official	NIC	SP580	Function Module,Tai Shan 2280 V2,BC8M01ETHA,Ethernet Adapter,25 GE/10GE(Hi1822),4-Port,SFP (without Optical Module),Half-height Half-length,Full Handle bars,PCIe 3.0 x16	SFP28	34061254-001(25G 多模 接分流器 场景不支持 旭创厂家),02311MPE(25G AOC线缆 3M),02311MPD(25G AOC线缆 5M),02311KNT(25G AOC线缆 10M),34060494-005(10G 多模),34061637-003(25G AOC线缆 20M), 34062045-002 (25G AOC线缆 10M),04051354(25G DAC线缆 5m)		link	GA	

06310169	Official	NIC	MCX512A-ACUT	Network Card,25 Gigabit,64 bit,SFP28(without Optical Transceiver),2 Ports,PCIE 3.0 x8-15b3-1017-2,No Driver CD-A baffle plate is delivered with the incoming material	SFP28	02318169 (10G 多模);34061254-001(25G 多模,接分流器场景不支持旭创厂家),02311MPE(25G AOC线缆3M),02311MPD(25G AOC线缆5M),02311KNT(25G AOC线缆10M),04051353(25G DAC线缆3m),04051354(25G DAC线缆5m),02318169(10G 多模),34060494-005(10G 多模)	link	GA	
06310169	Official	NIC	MCX512A-ACUT	Network Card,25 Gigabit,64 bit,SFP28(without Optical Transceiver),2 Ports,PCIE 3.0 x8-15b3-1017-2,No Driver CD-A baffle plate is delivered with the incoming material	SFP28	02318169 (10G 多模);34061254-001(25G 多模,接分流器场景不支持旭创厂家),02311MPE(25G AOC线缆3M),02311MPD(25G AOC线缆5M),02311KNT(25G AOC线缆10M),04051353(25G DAC线缆3m),04051354(25G DAC线缆5m),02318169(10G 多模),34060494-005(10G 多模)	link	GA	Note210;
02312LDK	Official	NIC	SP380	Function Module,SP 380,BC5M03ETHE,Ethernet Adapter,25GE(Mellanox CX-4 Lx),Dual-Port,SFP28 (without Optical Transceiver),Half-height Half-length,Full Handle bars,PCIE 3.0 x8	SFP28	34061254-001(25G 多模,接分流器场景不支持旭创厂家),25G AOC线缆(10m):02311YJM(34061638-002)25G AOC线缆(20m):02311YJP(34061638-003)25G DAC线缆(3m):0405135334060494-002(10G 多模)34060742(10G 单模)	link	GA	

02312VVU	Official	NIC	SP382	Function Module, Public Module, BC 5M03ETHK, SP382 Ethernet Adapter, 25GE(Mellanox CX5), Dual-Port, SFP28 (without Optical Transceiver), Half-height Half-length, Full Handle bars, PCIE 3.0 x8	SFP28	34060494-002(10G 多模); 34061254-001(25G 多模, 接分流器场景不支持旭创厂家), 34060494-005(10G 多模), 04051353(25G DAC线缆3m); 04051354(25G DAC线缆5m)	link	GA	
06310183	Official	NIC	MCX4121A-ACUT	Network Card, 25Gigabit, 64bit, SFP28, 2 ports, PCIE 3.0 X8-15b3-1015-2, No Driver CD	SFP28	34061254-001(25G 多模, 接分流器场景不支持旭创厂家), 04051352(25G DAC线缆1m), 04051353(25G DAC线缆3m), 34060494-005 (10G 多模), 34060495 (10G单模)	link	GA	
06030392	Official	FC	QLE2742	Other Cards, HBA Card QLE2742-HUA-SP, FC Double Ports-32Gb/s, PCIE 3.0 x8- Vendor ID 1077- Device ID 2261-2, NULL, Multimode optical module, half width half length	SFP	自带光模块 (32G 多模)		GA	Note222;
06030393	Official	FC	LPe32002	Other Cards, HBA Card LPe32002-AP, FC Double Ports-32Gb/s, PCIE 3.0 x8- Vendor ID 10DF- Device ID E300-2, English doc, 1pcs short bracket, half width half length- Prohibition of separate shipment	SFP	自带光模块 (32G 多模)		GA	Note222;

06030390	Official	FC	QLE2740	Other Cards,HBA Card QLE2740-HUA-SP,FC Single Port-32Gb/s,PCI E 3.0 x8-Vendor ID 1077-Device ID 2261-1,NULL,Multimode optical module,half width half length	SFP	自带光模块 (32G 多模)			GA	Note222;
06030391	Official	FC	LPe32000	Other Cards,HBA Card LPe32000-AP,FC Single Port-32Gb/s,PCI E 3.0 x8-Vendor ID 10DF-Device ID E300-1,English doc,1pcs short bracket,half width half length-Prohibition of separate shipment	SFP	自带光模块 (32G 多模)			GA	Note222;
06310151	Official	NIC	MCX416A-BCAT	Network Card,40 Gigabit,64 bit,QSFP28 port,PCI E 3.0 X16-15b3-1013-2,No Driver CD	QSFP	34060662 (40GE 多模),34060662-002 (40GE 多模),14130923-001 (光纤 5m),14130923 (光纤 15m)	link	EOM	Note209;	
06310184	Official	NIC	MCX515A-CCUT	Network Card,100 Gigabit,64 bit,QSFP28 (without Optical Transceiver),1 ports,PCI E 3.0 x16-15b3-1017-1,No Driver CD	QSFP28	34061089 (100GE 多模),14130923-001 (光纤 5m),14130923 (光纤 15m),34060662-002 (40G 光纤 0.15km)	link	GA		
06310184	Official	NIC	MCX515A-CCUT	Network Card,100 Gigabit,64 bit,QSFP28 (without Optical Transceiver),1 ports,PCI E 3.0 x16-15b3-1017-1,No Driver CD	QSFP28	34061089 (100GE 多模),14130923-001 (光纤 5m),14130923 (光纤 15m),34060662-002 (40G 光纤 0.15km)	link	GA		

02312BFF	Official	IB	SP350	Function Module,SP350,BC5M01IBMA,Inf iniband card-EDR(100Gb/s)(Mellanox ConnectX-5 VPI)-Single port-QSFP28(without Optical module)-Half-height Half-length-Full Handle bars-PCIe 3.0 x16	QSFP28	04051403(100G DAC线缆1m);04051404(100G DAC线缆3m);34061319(100G AOC线缆5m);34061320(100G AOC线缆10m);34061321(100G AOC线缆20m)		link	GA	
02312BHX	Official	IB	SP351	Function Module,SP351,BC5M01IBMB,Inf iniband card-EDR(100Gb/s)(Mellanox ConnectX-5 VPI)-Dual port-QSFP28(without Optical module)-Half-height Half-length-Full Handle bars-PCIe 3.0 x16	QSFP28	04051403(100G DAC线缆1m);04051404(100G DAC线缆3m);34061319(100G AOC线缆5m);34061320(100G AOC线缆10m);34061321(100G AOC线缆20m)		link	GA	
备注说明: 1. 请访问第三方官网下载驱动，操作系统兼容性信息请以第三方发布为准。 3. 可以支持两张卡 20. 建议禁用linux自带显卡驱动"nouveau" 76. MU类型SSD：5年内，SSD的DWPD为1.3-3.6；适用于读写混合类型业务 117. 仅适用于8盘2.5寸机型，最高工作温度30℃ 161. SANBOOT支持情况与使用方法，详情参考用户指南 181. 不支持NCSI 192. 不支持sanboot特性 209. 在Centos 8.0下只支持一个VF 210. 不支持VF 222. 该卡遵循FC或FCoE标准规范，若明确要求与第三方外设对接，请向第三方外设厂家确认兼容性要求或POC验证。 225. 仅支持Kunpeng920 2.6GHz CPU，不支持3.0GHz CPU。具体配置参考配置器。 233. 此卡有OS应用限制，具体使用建议请联系对应PAE 244. 最大支持7张卡，IO1模组和IO2模组最大共支持5张卡 247. 禁止Riser 1&2选用02312QJV编码riser卡，禁止Riser 3 选用02312QJW编码riser卡。 256. 不支持NCSI										

OCP Cards
无符合条件的数据

Power								
编码	名称	输入特性	输出特性	能效等级	海拔	是否支持高压直流	生命周期	备注
02312YKR	2000W白金电源	220-240V AC/10A;240V DC/10A;200-220V AC/10A;100-127V AC/10A;	12V/167A;2000W; 12V/167A;2000W; 12V/150A;1800W; 12V/75A;900W;	Platinum	50%-5000m	180V-300V	GA	不支持台湾地区，印度、韩国、乌克兰、墨西哥、英国、俄罗斯。

02312HGY	功能模块-PAC2000S12-BG-PAC2000S12-BG-服务器白金2000W-交流电源	220-240V AC/10A;;240V DC/10A;;200~220V AC/10A;	12V/167A;2000W;2000W;12V/167A;2000W;2000W;12V/150A;1800W;1800W;	Platinum	50%:5000m	180V-300V	GA	不支持台湾, 印度。
02312PEU	900W白金电源	100-240V AC/10-5.5A;240V DC/5A;	12V/75A;900W;12V/75A;900W;	Platinum	50%:5000m	180-300V	GA	目前仅支持国内发货。
02312XWK	900W白金电源	100-240V AC/10-5.5A;240V DC/5A;	12V/75A;900W;12V/75A;900W;	Platinum	50%:5000m	180-300V	GA	不支持台湾地区, 印度、韩国、乌克兰、墨西哥、英国、俄罗斯。
02311TLF	900W白金电源	100-240V AC/11~5.5A;240V DC/5A;	12V/75A;900W;12V/75A;900W;	Platinum	50%:5000m	180-300V	EOM	不支持台湾, 印度, 韩国
02312GEN	1200W - 48V直流电源	-48V- -60V DC/32A;	12V/100A;1200W;	Gold	50%:5000m	不支持高压直流。	GA	不支持台湾地区、俄罗斯、韩国
02313HCD	功能模块-Server Product-PDC1200S12-CF1-服务器直流电源-68mm-1200W-风冷(含直流电源线)	-48 - 60VDC;	12.3V;97.6A;1200W;	Gold	50%:5000m	不支持高压直流。	GA	不支持台湾、乌克兰、墨西哥、印度、韩国、俄罗斯、英国。
02314BYN	PDC2000S12-B1	-72V~-40V DC;40V~60V DC;	11.7V~12.6V;2000W;11.7V~12.6V;2000W;	Platinum	50%:-60m~5000m	不支持高压直流。	GA	02312SXL打包编码, 暂时只支持国内发货。
02312HDF	1500W HVDC电源	260 - 400V DC/8A;	12V/125A;1500W;	Platinum	50%:5000m	260-400V	EOM	不支持台湾地区、印度、韩国。
02312DEQ	一次电源-PHD1500S12-B2-服务器白金1500W高压直流电源	260~400V/DC;200~240V/AC;	12V/125A;1500W;12V/125A;1500W;	Platinum	50%:5000m	260-400V	GA	不支持台湾、乌克兰、墨西哥、印度、韩国、英国。

RAID Controller Cards									
编码	名称	芯片型号	板卡类型	描述	认证链接	驱动下载链接	厂家名称	生命周期	备注
02312WSF	9440-8i	9440-8i	标卡	Function Module,9440-8i 0G,CN2M94408I0G1,9440-8i 0G Other Cards,12G SAS RAID Card,no cache-8*12Gb/s SAS PHY-2 miniSAS HD internal interface,PCI E 3.1 X8-Vendor ID 1000-Device ID 0017-1-Subvendor ID 1000-Subdevice ID 9440,Taishan 200		Link	Avago	GA	Note105;Note106;Note115;Note117;Note118;Note129;Note141;

02312UNL	9460-16i	9460-16i	标卡	Function Module,9460-16i 4G,CN2M946016i4G,9460-16i 4G Other Cards,12G SAS RAID Card,4G cache-16*12Gb/s SAS PHY-4 miniSAS HD internal interface,PCI E 3.1 X8-Vendor ID 1000-Device ID 0014-1-Subvendor ID 1000-Subdevice ID 9460,Taishan		Link	Avago	GA	Note43;Note43;Note116;Note117;Note124;
02312UKU	9460-8i	9460-8i	标卡	Function Module,9460-8i 2G,CN2M94608i2G,9460-8i 2G Other Cards,12G SAS RAID Card,2G cache-8*12Gb/s SAS PHY-2 miniSAS HD internal interface,PCI E 3.1 X8-Vendor ID 1000-Device ID 0016-1-Subvendor ID 1000-Subdevice ID 9461,Taishan		Link	Avago	GA	Note43;Note115;Note117;Note119;Note141;
03033FAT	SR150-M	Avago 3408iMR	扣卡	Finished Board,SR150-M,BC11RLC A01,(Avago 3408) SAS/SATA RAID Card-RAID0,1,10-12Gb/s-no Cache,Support Sideband Management,Board ID 0x0a,custom raid		Link	Avago	GA	Note106;
02313CYR	SR760-M	Avago 3416iMR	扣卡	Function Module,Taishan 200 (Model 2280),BC11 RLCAA02,(Avago3416) SAS/SATA RAID Card-RAID0,1,10-12Gb/s-no Cache,Support Sideband Management		Link	Avago	GA	Note106;Note124;Note125;

03033FAV	SR450C-M	Avago 3508	扣卡	Finished Board,SR450C-M 4G,BC11RLCBA01,SR450C-M 4G SAS/SATA RAID Card MR,RAID0,1,5,6,10,50,60,4GB Cache(Avago3508),Support SuperCap and Sideband Management,Board ID 0X27,customraid		Link	Avago	GA	Note43;Note43;
03033EFT	SR450C-M	Avago 3508	扣卡	Finished Board,SR450C-M 2G,BC11RLCB01,SR450C-M 2G SAS/SATA RAID Card MR,RAID0,1,5,6,10,50,60,2GB Cache(Avago3508),Support SuperCap and Sideband Management,Board ID 0X2a,customraid		Link	Avago	EOM	Note43;Note43;
02313CYV	SP460C-M	Avago 3516	标卡	Function Module,SP460C-M 4G,CN2M02RLCAD,SP460C-M 4G SAS/SATA/NVMe RAID Card,PCIe card,RAID0,1,5,6,10,50,60,4GB Cache(Avago3516),Support SuperCap and Sideband Management,FH/HL,PCIe 3.0 X8-Vendor ID 1000-Device ID 0014		Link	Avago	GA	Note141;
02312USW	PMC 3152	PM8204	标卡	Function Module,12G SAS RAID Card,BC1M023152,TaiShan-SmartRAID 3152-8i RAID Card-PCIe 3.0 X8-2GB cache-RAID 0,1,5,6,10,50,60,1/10ADM-customraid		Link	PMC	GA	Note105;Note109;Note113;Note115;Note117;Note136;Note141;

02312USU	PMC 2100	PM8222	标卡	Function Module,12G SAS RAID Card,BC1M0 22100,TaiShan-SmartHBA 2100-8i RAID Card-PCIE 3.0 X8-no cache-RAID 0,1,5,10-customraid		Link	PMC	GA	Note105;Note107;Note113;Note129;Note136;Note141;
----------	----------	--------	----	--	--	------	-----	----	--

备注说明:
43. 若需要电容备电保护，请添加编码02311WDP.
105. 支持AL15SE/Vela-AP/Vela-A/He10/PM883/SM883系列硬盘
106. 仅openEuler OS支持虚拟化场景，支持BIOS启用SMMU
107. 支持AL15SE/PM883/SM883系列硬盘
109. 此RAID卡默认自带超级电容，无需选配
113. 此RAID卡不支持带外管理
117. 请使用RAID标卡专用机箱
118. FW版本支持5.120.01-2904及其以上版本,FW版本为5.120.01-2904时仅支持openEuler系统。
119. FW版本支持5.120.00-2995及其以上版本，FW版本为5.120.00-2995时仅支持openEuler系统。
124. 只支持12盘直通机型
125. 只支持以下硬盘编码：
02311JRE、02312GMR、02312GNS、02312GNU、02312GTS、02312GNT、02312GNW、02312GNX
129. 不支持RAID5
136. 3152-8i/2100-8i卡不支持SAS SSD硬盘
141. 具体配置信息请参考配置器或维护与服务指南

Security Cards
无符合条件的数据